

Application Serial No. 10/724,782  
Supplemental Amendment dated September 24, 2004  
Reply to Office Action of April 30, 2004

**REMARKS/ARGUMENTS**

Applicants wish to delete the previous amendment to Figure 2 in the Response to the Office Action filed on August 30, 2004. Applicants wish to have the current amended Figure 2 entered.

Applicants wish to thank the Examiner for the courtesy of a telephone conference with Applicants' counsel on September 17, 2004 regarding the Supplemental Amendment and new amended Figure 2.

The Examiner has objected to the drawings under 37 C.F.R. §1.83(a) in the Office Action dated April 30, 2004. Specifically, the Examiner has requested that a container is recited in Claim 4 and can be shown in the drawings.


In response to the rejection, Applicants have undertaken to submit a substitute drawing sheet of Figure 2 as Attachment A. Applicants have amended Figure 2 to include a container 33. Applicants direct the Examiner to page 5, paragraph 15, lines 5-10 which describe the container, and the "elevated mouth" of the container. Applicants also direct the Examiner to page 6, paragraph 20, line 19 which describes the "elevated container". Applicants aver that no new matter has been added.

No fees are deemed necessary. If, however, any fees are due, please charge our Deposit Account No. 08-2461 for such sum.

Application Serial No. 10/724,782  
Supplemental Amendment dated September 24, 2004  
Reply to Office Action of April 30, 2004

In view of the foregoing amendment to the drawing as well as the remarks set forth above, applicants respectfully submit that the present application is in all respects in condition for allowance, which action is earnestly solicited.

Respectfully submitted,




Justin K. Holmes  
Registration No.: 42,666  
Attorney for Applicants

HOFFMANN & BARON, LLP  
6900 Jericho Turnpike  
Syosset, New York 11791  
(516) 822-3550  
JKH/cb  
195104\_1

Application Serial No. 10/724,782  
Supplemental Amendment dated September 24, 2004  
Reply to Office Action of April 30, 2004

**Amendments to the Drawings:**

Applicants have amended Figure 2 to include reference to a container 33 as described in the specification. No new matter has been added. Applicants have attached a replacement drawing sheet to the amendment labeled as Attachment A.



Application Serial No. 10/724,782  
Supplemental Amendment dated September 24, 2004  
Reply to Office Action of April 30, 2004

# ATTACHMENT A